

# HP LaserJet Enterprise MFP M725 series



Get precise document finishing, one-touch workflows, and many scan-to options on a versatile A3 MFP.

Enable large-volume printing on a wide range of paper sizes—up to A3—with a 4600-sheet maximum input capacity.<sup>2</sup> Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.



HP LaserJet Enterprise MFP M725dn



HP LaserJet Enterprise MFP M725z

### Expand your options with sharp A3 printing

- Empower your teams to do more—print, scan, copy, and fax<sup>1</sup> on paper sizes up to A3—from a desktop-sized MFP.
- Stay focused on work—paper capacity up to 4600 sheets and high-capacity cartridges limit interruptions.<sup>2,4</sup>
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.<sup>5</sup>
- Print what you need, even on the go—from your smartphone or tablet—using HP ePrint<sup>3</sup> or Apple AirPrint™.<sup>6</sup>

### Quicken your business pace.

- Streamline tasks—print, scan, copy, and fax<sup>1</sup> projects directly at the MFP's large color touchscreen.
- Save time by launching one-touch workflows with HP Quick Sets.
- Get just the results you need—using touchscreen controls to preview, edit, and reorder scans at the device.
- Easily send scanned files to a fax, folder, email, or USB. Print right from a memory device via the USB port.

### Manage and protect your fleet for the long run.

- Simplify fleet management using world-class tools such as HP Web Jetadmin,<sup>7</sup> and reliably safeguard devices.
- Safeguard data—at rest or in transit—with an encrypted hard drive, user authentication, and security features.
- Add security tools—such as card and badge readers—via the hardware integration pocket.<sup>8</sup>
- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.
- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.

### Help save energy and reduce environmental impact.

- Reduce energy use with HP Auto-On/Auto-Off Technology,<sup>9</sup> and conserve power with Instant-on Technology.<sup>11</sup>
- Conserve resources and save paper—use automatic two-sided printing.
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.<sup>12</sup>
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.<sup>12</sup>


<sup>1</sup>Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. <sup>2</sup>Maximum paper capacity of 4,600 sheets requires the purchase of optional paper tray accessories. <sup>3</sup>Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see [www.hpconnected.com](http://www.hpconnected.com)). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

<sup>4</sup>High-capacity cartridges are optional for the HP LaserJet Enterprise MFP M725 Series. <sup>5</sup>In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f. <sup>6</sup>Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. <sup>7</sup>HP Web Jetadmin is free and can be downloaded at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin). <sup>8</sup>Solutions deployed through the hardware integration pocket may require additional purchase. <sup>9</sup>HP Auto-On/Auto-Off Technology capabilities subject to printer and settings, may require a firmware upgrade. <sup>11</sup>Compared with products that use traditional fusing. <sup>12</sup>Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit: [hp.com/recycle](http://hp.com/recycle).

## Product walkaround

1. 100-sheet automatic document feeder
2. Intuitive 20.3 cm (8-inch) pivoting color touchscreen control panel with FutureSmart firmware and scan preview
3. Hardware integration pocket (HIP) for solution integration
4. Easy-access USB port to save and print files directly
5. In-line stapler with 500-sheet output bin
6. Built-in automatic two-sided printing
7. Two 250-sheet input trays, one supporting up to legal and one supporting up to A3/ledger
8. 3 x 500-sheet high-capacity feeder with cabinet and stand for a 2,100-sheet total input capacity
9. 250-sheet output bin
10. Side door allows convenient access to the all-in-one HP print cartridge
11. 100-sheet multipurpose tray 1 supports a wide variety of paper sizes and types
12. 800 MHz processor, 1 GB standard memory
13. Two internal USB Host ports (for connecting third party devices)
14. HP High-Performance Secure Hard Disk
15. Fax port
16. Foreign Interface port
17. HP Jetdirect Gigabit Ethernet print server
18. Hi-Speed USB 2.0 device port
19. Hi-Speed USB 2.0 Host port

HP LaserJet Enterprise 700 MFP M725z shown



## Series at a glance



Model	HP LaserJet Enterprise MFP M725dn	HP LaserJet Enterprise MFP M725z
<b>Part Number</b>	CF066A	CF068A
<b>100-sheet automatic document feeder</b>	Yes	Yes
<b>3 x 500-sheet high-capacity feeder with cabinet and stand for a 2,100-sheet total input capacity</b>	N/A	Yes
<b>800 MHz processor, 1GB standard memory</b>	Yes	Yes
<b>Two internal USB Host ports (for connecting third party devices)</b>	Yes	Yes

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

### Optimized Care (optimum performance and stability):

4-hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

### Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

### Basic Care (minimum recommended support):

Next Business Day Onsite Support

For carepack availability visit: [hp.com/go/cpc](http://hp.com/go/cpc)

## Top features

Do more—with document sizes up to A3, and high-capacity cartridges<sup>4</sup> and paper trays. Print nearly to the page's edge, and even staple. Copy, scan, and fax<sup>1</sup>—and print from smartphones and tablets from virtually anywhere with HP ePrint.<sup>3</sup>

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use.<sup>9</sup> Save paper, using automatic two-sided printing.

### Accessories

C8091A	HP Staple Cartridge Refill
CC487A	HP LaserJet MFP Analog Fax Accessory 500
CF239A	HP LaserJet 500-sheet Feeder and Tray
CF242A	HP LaserJet 3x500-sheet Feeder and Stand
CF243A	HP LaserJet 1x500-sheet Feeder with Cabinet and Stand
CF245A	HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand
CF306A	HP 512 MB 200-pin x64 DDR2 DIMM
L2718A	HP 100 ADF Roller Replacement Kit

### Supplies

CF214A	HP 14A Black Original LaserJet Toner Cartridge
CF214X	HP 14X High Yield Black Original LaserJet Toner Cartridge
CF249A	HP LaserJet CF249A 110V Maintenance/Fuser Kit
CF254A	HP LaserJet CF254A 220V Maintenance/Fuser Kit

### Services

U7A14E	- HP 3 year Next business day + Defective Media retention LaserJet M725 Multifunction printer Support
U7A15E	- HP 4 year Next business day + Defective Media retention LaserJet M725 Multifunction printer Support
U7A16E	- HP 5 year Next business day + Defective Media retention LaserJet M725 Multifunction printer Support
U7A08E	- HP 3 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Support
U7A10E	- HP 4 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Support
U7A12E	- HP 5 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Support
U7Y76PE	- HP 1 year Post Warranty Next business day + Defective Media retention LaserJet M725 Multifunction printer Support
U7Y74PE	- HP 1 year Post Warranty 4 hour 9x5 LaserJet M725 Multifunction printer Support



<sup>1</sup>Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. <sup>3</sup>Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see [www.hpconnected.com](http://www.hpconnected.com)). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. <sup>4</sup>High-capacity cartridges are optional for the HP LaserJet Enterprise MFP M725 Series. <sup>9</sup>HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. <sup>11</sup>Compared with products that use traditional fusing. <sup>12</sup>Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit: [hp.com/recycle](http://hp.com/recycle).

# HP LaserJet Enterprise MFP M725 series

Technical Specifications	HP LaserJet Enterprise MFP M725dn(CF066A)	HP LaserJet Enterprise MFP M725z(CF068A)
<b>AIO functions</b>	Print, copy, scan; <b>AIO multitasking supported:</b> Yes	Print, copy, scan, fax; <b>AIO multitasking supported:</b> Yes
<b>Duplex print options</b>	Automatic (standard)	
<b>Print speed</b>	<b>A4:</b> Up to 41 ppm <sup>1</sup> black	
<b>First Page Out</b>	<b>Black (ready):</b> As fast as 10 sec	
<b>Print resolution</b>	<b>Black (best):</b> Up to 1200 x 1200 dpi	
<b>Print Technology</b>	Laser	
<b>Print Resolution Technologies</b>	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi	
<b>Print Cartridges Number</b>	1 (black)	
<b>Standard Print Languages</b>	HP PCL 6; HP PCL 5e; HP postscript level 3 emulation; PDF 1.4	
<b>Printer Smart Software Features</b>	HP ePrint, Apple AirPrint, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview	
<b>Printer Management</b>	HP Web Jetadmin, HP Utility (Mac)	
<b>Scan Type / Technology</b>	<b>Type:</b> Flatbed, ADF; <b>Technology:</b> Charge Coupled Device (CCD)	
<b>Scan Resolution</b>	<b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 dpi	
<b>Scan File Format</b>	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	
<b>Scan Input Modes</b>	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXP) applications	
<b>Scan Size</b>	<b>ADF:</b> 297 x 420 mm Maximum; 68 x 148 mm Minimum; <b>Flatbed:</b> 297 x 420 mm	
<b>Scanner Advanced Features</b>	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	
<b>Bit depth / Grayscale levels</b>	24-bit	
<b>Digital Sending Standard Features</b>	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL	
<b>Copy Speed</b>	<b>Black (A4):</b> Up to 41 cpm <sup>2</sup>	
<b>Copy Resolution</b>	<b>Black (text and Graphics):</b> 600 x 600 dpi	
<b>Maximum Number of Copies</b>	Up to 9999 copies	
<b>Copier Resize</b>	25 to 400%	
<b>Copier Settings</b>	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build	
<b>Fax Speed</b>	N/A	<b>Up to:</b> 33.6 kbps
<b>Fax Resolution</b>	N/A	<b>Black (best):</b> Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); <b>Black (standard):</b> 204 x 98 dpi
<b>Fax Smart Software Features</b>	N/A	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule
<b>Fax Features</b>	N/A	<b>Fax Memory:</b> Up to 100 pages; <b>Auto Fax Reduction Supported:</b> Yes; <b>Auto-Redialing:</b> Yes; <b>Fax Delayed Sending:</b> No; <b>Distinctive Ring Detection Supported:</b> No; <b>Fax Forwarding Supported:</b> Yes; <b>Fax Phone TAM Interface Supported:</b> No; <b>Fax Polling Supported:</b> Yes (poll to receive only); <b>Fax Telephone Mode Supported:</b> No; <b>Junk Barrier Supported:</b> Yes; <b>Maximum Speed Dialing Numbers:</b> Up to 100 numbers (each can contain 100 numbers); <b>PC Interface Supported:</b> Yes; <b>Remote Retrieval Capability Supported:</b> No; <b>Telephone Handset Supported:</b> No
<b>Standard Connectivity</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host	
<b>Network Capabilities</b>	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)	
<b>Network Ready</b>	Standard (built-in Gigabit Ethernet)	
<b>Wireless Capability</b>	Optional, enabled with purchase of a hardware accessory	
<b>Mobile Printing Capability</b>	HP ePrint; Apple AirPrint	
<b>Memory</b>	<b>Standard:</b> 1 GB; <b>Maximum:</b> 1.5 GB	
<b>Processor Speed</b>	800 MHz	
<b>Duty Cycle</b>	<b>Monthly, A4:</b> Up to 200,000 pages <sup>3</sup> ; <b>Recommended Monthly Page Volume:</b> 5000 to 20,000	
<b>Paper Handling</b>	<b>Input Capacities:</b> 100-sheet multipurpose tray, two 250-sheet input trays; Up to 600 sheets standard; Up to 10 envelopes labels legal; <b>Output Capacities:</b> 250-sheet output bin; Up to 250 sheets standard labels legal; <b>Auto Document Feeder Capacity:</b> Standard, 100 sheets; <b>Envelope Feeder:</b> No; <b>Standard Paper Trays:</b> 3; <b>Media Types Supported:</b> Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum; <b>Media Weight Supported:</b> Tray 1: 60 to 199 g/m <sup>2</sup> ; Trays 2, 3: 60 to 120 g/m <sup>2</sup> ; <b>Media Sizes Supported:</b> A3; A4; A5; B4 (JIS); B5 (JIS); <b>Media Sizes Custom:</b> Tray 1: 76.2 x 127 to 312 x 469 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm	<b>Input Capacities:</b> 100-sheet multipurpose tray, two 250-sheet input trays, and three 500 sheet feeders + stand; Up to 2100 sheets standard; Up to 10 envelopes labels legal; <b>Output Capacities:</b> 250-sheet output bin, 500-sheet output bin; Up to 750 sheets standard labels legal; <b>Auto Document Feeder Capacity:</b> Standard, 100 sheets; <b>Envelope Feeder:</b> No; <b>Standard Paper Trays:</b> 3; <b>Media Types Supported:</b> Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum; <b>Media Weight Supported:</b> Tray 1: 60 to 199 g/m <sup>2</sup> ; Trays 2 - 6: 60 to 120 g/m <sup>2</sup> ; <b>Media Sizes Supported:</b> A3; A4; A5; B4 (JIS); B5 (JIS); <b>Media Sizes Custom:</b> Tray 1: 76.2 x 127 to 312 x 469 mm; Tray 2: 148 x 210 to 297 x 363 mm; Trays 3 - 6: 148 x 210 to 297 x 431 mm
<b>Product Dimensions</b>	<b>W x D x H:</b> 614 x 649 x 609 mm; <b>Maximum:</b> 865 x 989 x 609 mm	<b>W x D x H:</b> 745 x 681 x 1192 mm; <b>Maximum:</b> 917 x 1032 x 1192 mm
<b>Product Weight</b>	54.11 kg	92.35 kg
<b>Warranty Features</b>	One-year on-site warranty.	
<b>Energy Efficiency Compliance</b>	ENERGY STAR <sup>®</sup> qualified	
<b>Control Panel</b>	20.3 cm (8.0-in) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	
<b>Display Description</b>	8.0-in (20.3 cm) touchscreen; LCD (color graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	
<b>Software Included</b>	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox	
<b>Fonts and Typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>	
<b>Compatible Operating Systems</b>	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services ( <a href="http://hp.com/go/tpd">hp.com/go/tpd</a> ); Novell (novell.com/print); Linux ( <a href="http://hp.com/go/linux">hp.com/go/linux</a> , <a href="http://hp.com/go/unixmodelscripts">hp.com/go/unixmodelscripts</a> , <a href="http://hp.com/go/jetdirectunix_software">hp.com/go/jetdirectunix_software</a> ); SAP device types ( <a href="http://hp.com/go/sap/drivers">hp.com/go/sap/drivers</a> , <a href="http://hp.com/go/sap/print">hp.com/go/sap/print</a> ); HP ePrint Mobile Driver ( <a href="http://hp.com/go/eprintmobiledriver">hp.com/go/eprintmobiledriver</a> )	
<b>Minimum System Requirements</b>	<b>PC:</b> Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com; <b>MAC:</b> Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com	
<b>Power</b>	<b>Power Supply Type:</b> Built-in power supply; <b>Power Requirements:</b> Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (110V or 220V depending on option and country); <b>Power Consumption:</b> 890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off) <sup>5</sup>	
<b>Acoustics</b>	<b>Acoustic Power Emissions:</b> 6.8 B(A); <b>Acoustic Pressure Emissions:</b> 54 dB(A)	
<b>Operating Environment</b>	<b>Operating Temperature Range:</b> 10 to 32.5°C; <b>Recommended Operating Temperature Range:</b> 0 to 60°C; <b>Storage Temperature Range:</b> 0 to 60°C; <b>Non-Operating Humidity Range:</b> 10 to 90% RH; <b>Operating Humidity Range:</b> 20 to 80% RH; <b>Recommended Humidity Operating Range:</b> 30 to 70% RH	
<b>Security Management</b>	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	

<sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity. Exact speed varies depending on the system configuration, software application, driver and document complexity. <sup>2</sup> First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>3</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. <sup>5</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see [hp.com/support](http://hp.com/support) for current information.

## Learn more at [hp.com](http://hp.com)

©2013 - 2014 Hewlett-Packard Development Company, L.P. HP is a registered trademark of the Hewlett-Packard Company. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. All other trademarks are the property of their respective owners. Microsoft and Windows are registered trademarks of Microsoft Corporation. This listing of non-HP products does not constitute an endorsement by Hewlett-Packard Company. The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. HP shall not be liable for technical or editorial errors or omissions contained herein.

